

CENTRAL TEXAS Regional Mobility Authority


















Mary Temple





GEC Procurement Schedule







Submitted February 1, 2016

Experience of Firm | 25%

Approach to Services | 30%

Staffing | 35%

DBE Participation | 10%



We evaluated three responses

- HDR
- HNTB / CDM Smith
- WSP|Parsons Brinkerhoff

All three firms were shortlisted for interviews

Shortlist Interviews: Evaluation Criteria



Interviews held March 4

10 industry questions - 9 points each

Overall Team Performance – 7 points

Performance of Program Manager – 3 points

Total Scoring



- RFQ Phase 50% of total score
- Interview Phase 50% of total score
- Recommendation based on combined score



To Be Announced at Board Meeting



Justin Word, P.E., Director of Engineering



183 South ILA




Interlocal Agreement (ILA) between the City of Austin and the Mobility Authority

- Scope
 - Water and Wastewater relocations and associated reimbursements
- Roles and Responsibilities
 - City Review, Permit, Inspect
 - Mobility Authority (D/B Contractor) Design, Acquire Easements, Construct
- Financials (approximate)
 - \$10.1 MM Betterment Costs (from City)
 - \$ 1.5 MM Reimbursement of City Services During Planning/Procurement (to City)
 - \$ 1.9 MM Reimbursement of City Services During Design/Construction (to City)
 - Net Result \$6,717,549 Payment from City to CTRMA


Recommended Board Action:

Authorize Executive Director to finalize and execute ILA with the City of Austin



Design Services Provider Procurement





RFQ Response



We evaluated ten responses:

American Structurepoint
 Huitt Zollars

Binkley Barfield

Kimley Horn

Bridgefarmer & Assoc.

Michael Baker

CP&Y

Parsons

HDR

Seiler Lankes Group

Shortlist for Interviews



Three firms were shortlisted for interviews:

- Bridgefarmer & Associates
- CP&Y
- HDR

Shortlist Interviews: Evaluation Criteria



Team Organization and Qualifications; Approach to DBE Utilization | 15%


Past Project Experience; References | 20% **Project Understanding** and Approach | 35%

Project Schedule and Availability | 15%

The Quality of Overall Presentation/Interview | 15%



To Be Announced at Board Meeting



Express Lane Outreach




- There will be a driver adjustment period when the express lanes open
- Zellmer McConnell was procured about 18-months ago to help ensure as many drivers as possible understand the express lane concept and variable tolling
- The goal is to ensure the opening of the express lanes is as smooth as possible
- Several early outreach efforts have been undertaken to expand community awareness and address misconceptions

Initial Outreach Program








"MoPac, Made Easy" Outreach








Regional Mobility Authority

"What MoPac Lane Are You?" Quiz








"Curious Austin" Outreach Effort





Opening Outreach Goals



- Want to ensure saturation of target market in period surrounding initial opening
- Desire to reinforce outreach effort leading up to full opening
- Critical to minimize operational issues during opening period
- Opportunity to communicate value and benefits of express lanes proposed for other corridors
- Reuse of materials for outreach efforts on future projects

Request for Additional Resources



- The original plan was to allocate the entire informational outreach budget to a single opening campaign
- Subsequently a decision was made to implement a series of pre-opening outreach efforts
 - To date approximately \$465,000 of the original \$950,000 contract amount has been expended
- To ensure market saturation at initial opening and continued outreach at full opening staff is requesting a contract supplement of \$600,000 for a new contract total of \$1,550,000.



Bill Chapman, Chief Financial Officer










Construction Progress






























MoPac Travel Time Impacts Summary – Slaughter to 10th Street Pre and Post Traffic Shift




CENTRAL TEXAS
Regional Mobility Authority

Community Input



Primary Interest Issue

No significant issues



Upcoming Outreach Issues



- Paving operations with numerous lane closures
- Construction of Sound Wall 8 along northbound MoPac between 35th Street and 45th Street
- Increased Nighttime Activity/Train Horns


Progress Metrics





MoPac Improvement Project






MoPac Improvement Project Daily Labor Logs



Trend line analysis: Leveling off to ~ 1.7% upward slope



Express Lane Video



Research



Lessons Learned from other Agencies with Express Lanes

- Public Outreach
- Eyes on the Road
- Incident Management
- Data Collection
- Adjustment Period
 - First Managed Lanes in Region
 - Partial Opening
 - Driver Behavior



Advance Preparations



- Public Outreach
- Eyes on the Road
 - Traffic Management Center
 - CCTV / Radar Vehicle Detectors
- Incident Management
 - Combined Transportation, Emergency
 - & Communications Center
 - TxDOT and City of Austin
 - Austin Police / Fire Department
 - Emergency Medical Services
 - Towers
- Data Collection
 - Blue Toad and Toll System
- Adjustment Period
 - Public Outreach
 - Coordination with TxDOT Toll Operations Division
 - Coordination with Third Party Pay By Mail Billing Processor



Upcoming Work and Contract Actions



Work

- Paving Operations
- Undercrossing Work
- Tolling Zones

Contract Actions

- Change Orders
- April Board Express Lanes Toll Policy



Agenda Item #10-B


Justin Word, P.E., Director of Engineering

March 30, 2016



183 South Schedule Overview






Schedule Status - Design



Design is on Schedule



Design Percent Complete

Schedule Status - Right-Of-Way Acquisition



All Parcels Available For Construction



Schedule Status - Utility Relocation



Master Utility Adjustment Agreements (MUAAs)




























Interlocal Agreements (ILAs) with CTRMA



- Agreement's Anticipated Mid 2016 5 of 13 Completed
- Utility MUAAs are Responsibility of Contractor

Budget Status - Cash Flow Without Mobilization






Public Outreach Status



February - 13 Individual Inquiries

- Boggy Creek turnaround location
- Project Schedule
- Employment/Subcontract opportunities (9)
- Property Access During/After Const (2)
 Upcoming activities
- Neighborhood Wall Workshop March 8
- Ground Breaking Ceremony April 6
- Keep Austin Beautiful Sponsor April 9
- First Newsletter to Subscribers April 11



Construction Status



Upcoming Construction

- April Installation of Erosion Control Devices
- April Begin Early Utility Work
- May Begin Early Work at Springdale/Manor and MLK intersections

Efforts to prepare for construction


- Constructability Reviews
- Inspection Checklist/CQMP Review
- Oversight Team Integration

Project Photos





183 S @ Colorado
River
CENTRAL TEXAS
Regional Mobility Authority



183 S @ Colorado River Design Overlay



QUESTIONS/COMMENTS



SH 45 Southwest




Project History

- May 1985: SH 45 Outer Parkway designated by TTC
- Aug 1989: Final Environmental Impact Statement approved
- 1989-1992: Lawsuit filed and dismissed over segmentation
- Jan 1990: Consent Decree between TxDOT and Barton Springs Edwards Aquifer Conservation District (BSEACD)
- 1999-2001: Travis and Hays County acquired ROW for SH 45 SW ROW then transferred to TxDOT
- Dec 2008: TxDOT Develops 95% Construction Plans (Non-tolled)
- May 2010: CAMPO adopts 2035 Plan, including SH 45 SW
- Mar 2014: Mobility Authority Exercises Primacy and Executes Inter-Local Agreement with Hays and Travis Counties
- Nov 2014: Mobility Authority begins preliminary design
- Mar 2015: TxDOT completes Final Environmental Impact Statement and makes Environmental Commitments to BSEACD
- Feb 2016: Lawsuit filed


Travel Time Savings – Brodie to Slaughter






Travel Time Savings – Manchaca to Slaughter





SH 45 Southwest – Project Location





Typical Requirements Over Edwards Aquifer



Texas Commission on Environmental Quality (TCEQ)

 TCEQ requires removal of 80% of the <u>increase</u> in Total Suspended Solids (TSS) annual load

Permanent Best Management Practices (BMPs)

- Vegetative Filter Strips
- Water Quality Ponds
- Rock Berms

Sensitive Karst Feature Protections

- Buffer zones
- Silt Fencing
- Diversion of Runoff



Requirements for SH 45 SW



1990 Consent Decree between TxDOT & Barton Springs Edwards Aquifer Conservation District (BSEACD)

- Hazardous material traps
- No access roads, driveways, or connections from Bliss Spillar to Loop 1
- Construction Procedures
 - Minimize vegetation clearing impact
 - Stormwater treatment requirements
 - Equipment limited in creek beds or near sensitive features
 - Sensitive Karst Features and Caves protection requirements
 - Hazardous material storage and equipment use requirements

Requirements for SH 45 SW



2015 TxDOT Commitments to BSEACD

19 Commitments Total – 18 Compliant, 1 on-going

- Total Suspended Solids (TSS) removal rate of at least 90%
- Independent Environmental Compliance Manager (IECM)
- Use of structural stormwater best management practices (BMPs)
 - Permeable Friction Course (PFC) Pavement
 - Water Quality Ponds / Hazardous Material Traps
 - Vegetated controls (Grassy swales and vegetated filter strips)
- Use of non-structural BMPs
- Protection of Karst Features including Flint Ridge Cave
- Review and observation by BSEACD

Environmental Enhancements



Coordination with Local Government and Regulatory Agencies

Additional Project Enhancements

- Haul Road
- Construction phasing broken into sub-segments
- Chain-link fencing and additional protections around sensitive features
- Increased thickness of topsoil

Design – Water Quality Treatment



Removal of 92% of TSS Loads Permeable Friction Course (PFC)

 Used on majority of paved surfaces within project

Vegetative Filter Strips (VFS)

 Used where feasible along sides of roadways

Water Quality Ponds

- New batch detention ponds will be constructed (8 Total)
- Existing ponds at Loop 1 will be utilized (6 Total)

Typical TSS removal requirement (80%) would be met with only Permeable Friction Course & Vegetative Filter Strips



Design – Karst Features and Caves



Sensitive Features Protective Measures

- Six cave gates are currently being installed by TxDOT
- Natural buffers (Extend 50' Min.) in all directions where practical (FEIS commitments/TWG enhancements)
- Buffer areas will be fenced with chain link fence (TWG enhancement)
- Buffer areas to include high service rock berm with silt fence and erosion control logs



Design – Minimizing Footprint and Impact



Embankment

 Roadway profile raised to minimize cut

Bridge Design

- Span sensitive features
- Water quality pond accommodation
- Minimize impact to Bear Creek



Retaining Walls

Increased use of walls to reduce earthen slopes and minimize roadway footprint

Topsoil

- Increased thickness of topsoil for enhanced vegetative growth
- Provides stabilization and preserves water quality

Sample Innovation Project – A Comparison



Parmer Lane Extension Project

- Part of 1800 acre mixed-use development
- Switched from conventional water quality measures to bioswales and biofiltration ponds
 - Minimized visual impact
 - Less than 20% impervious cover within ROW
- SH 45 Southwest
 - Minimized visual impact
 - Less than 20% impervious cover within ROW for SH 45 SW corridor
 - Batch detention ponds also function as hazardous material traps



Construction – Environmental Management



Independent Environmental Compliance Manager (IECM)

- Required per Final Environmental Impact Statement
- Coordinate with Mobility Authority to ensure compliance with environmental requirements on the project
- On-site full-time during construction

Contractor Void Discovery Protocol (FEIS Commitment)

- Stop work within 50' radius
- Notify the IECM, CTRMA, TxDOT, Texas Commission on Environmental Quality (TCEQ), and Barton Springs Edwards Aquifer Conservation District (BSEACD)
- Karst Biologist and Geoscientist will evaluate the void and prepare Void Mitigation Plan
- TCEQ has one week to review and approve

Environmental Cost Impact



Typical Edwards Aquifer Project (TCEQ Requirements)

- Includes permeable friction course, vegetative filter strips, and basic erosion & sedimentation controls
- Estimated Construction Cost: \$76,000,000

SH 45 SW Requirements (Consent Decree and FEIS)

- Addition of IECM, ponds, bridge additions, karst feature protections, embankment, etc.
- Estimated Construction Cost: \$86,000,000 (+ \$10M)

SH 45 SW Enhancements (TWG, COA, Travis County)

- Addition of increased duration due to phasing, enhanced erosion & sedimentation controls, haul road, retaining wall additions, increased soil thickness, and chain-link fencing around sensitive features
- Estimated Construction Cost: \$95,000,000 (+ \$9M)

Total Project Cost



Preliminary Engineering and Design	\$9,100,000
Construction	\$95,000,000
Utilities	. \$500,000
System Integration	\$2,000,000
Construction Oversight	\$10,600,000
Project Contingency	\$2,800,000
Total Project Cost up to \$120,000,000	

Funding: \$20 M Travis and Hays Counties

\$60 M TxDOT Loan

\$28.92 M TxDOT Financial Assistance

Total Project Funding \$108,920,000

Next Steps



Cost Refinement

- Review and implement contractor outreach feedback
- Conduct value engineering meeting


Implementation

- April Board Meeting
 - Authorize release for Bid
 - Project Development Agreement with TxDOT
 - Inter-local Agreement with Travis County
- Advertise for Construction
- Contractor Workshop / Pre-Bid Meeting
- Contractor Pre-qualification
- Bid Opening in May
- May Board Meeting
 - Award for Construction
- Start of Construction Estimated October 2016
- CTRMA Conservation / Mitigation Plan



Regional Mobility Authority







MoPac North

RECENT ACTIVITY Responded to stakeholder inquiries and comments about the project, significant outreach effort for multiple weekends of segment 1 lane and ramp closures

NEXT STEPS

Development of communication and marketing plan for summer opening

KEY ENGAGEMENT STATISTIC There was an 144% increase in new visitors and a 127% increase in overall traffic to www.MoPacExpress.com in February

CENTRAL TEXAS
Regional Mobility Authority



SH 71 Express

RECENT ACTIVITY

Planned for informing the public of a traffic shift that will occur in April

NEXT STEPS

Hold Public Informational Construction Update Meeting on March 23

KEY ENGAGEMENT STATISTIC There was a 48% increase in visitors to the project website for a total of 1,274 sessions

Almost 11% of overall visitors were from the Houston area



SH 45 SW

RECENT ACTIVITY

Responded to inquiries regarding project schedule and next steps; more than double the typical number were received in February

NEXT STEPS

Continue to respond to contractor inquiries through CivCast regarding open and future RFQs

KEY ENGAGEMENT STATISTIC

The project team provided an update to the Shady Hollow HOA. Many attendees shared support for the project; several stakeholders said the project "should have been done years ago"

Regional Mobility Authority



183 North

RECENT ACTIVITY Public Hearing Summary Report was posted online at www.183North.com

NEXT STEPS

Prepare for communication regarding environmental finding

KEY ENGAGEMENT STATISTIC February saw a spike in website visitation by about 300 visits, likely due to continuing media coverage of the CAMPO vote to amend the project description



MoPac South

RECENT ACTIVITY Continue to analyze feedback provided through 4th Technical Work Group meeting; adjust evaluation criteria as needed

NEXT STEPS

Identify which Express Lane(s) configuration will move forward

KEY ENGAGEMENT STATISTIC Website visitation leveled out in late 2015 and early 2016 with an average of 600 monthly visitors

CENTRAL TEXAS
Regional Mobility Authority



Oak Hill Parkway

RECENT ACTIVITY Ongoing stakeholder outreach and social media push

NEXT STEPS

Plan for presentations and information booths at regional events in April

KEY ENGAGEMENT STATISTIC Web traffic who came from Twitter had a longer average amount of time spent on the site (Approx. 3 minutes and 30 seconds)



Agenda Item #12

Justin Word, P.E., Director of Engineering Kyle Keahey, Project Manager HNTB

March 30, 2016





Background

- Proposed Express Lanes provide opportunity for reliable transit service
- Project Purpose addresses transit:
 - "Create a dependable and consistent route for transit"
- CapMetro and CTRMA have been exploring opportunities to improve on this transit opportunity
 - Park and Ride facilities to anchor service
 - Efficient access to/from express lanes


Activities/Status



Early Investigations

- Focus on MoPac South and 183 North corridors
- Explored Park and Ride opportunities <u>within existing</u> <u>ROW</u>
- Findings:
 - Limited ROW
 - Complex design
 - Significant cost
 - Safety concerns

MoPac South



Activities/Status



Early Investigations

- Focus on MoPac South and 183 North corridors
- Explored Park and Ride opportunities <u>within existing</u> <u>ROW</u>
- Findings:
 - Limited ROW
 - Complex design
 - Significant cost
 - Safety concerns

183 North




Activities/Status



Early Investigations

- Potential opportunities within existing ROW
 - South MoPac
 - South Bay Lane
 - Escarpment Boulevard
 - 183 North
 - RM 620/Ridgeline





Next Steps

- Evaluate Park and Ride options within existing ROW
- Advance efforts to identify and evaluate Park and Ride opportunities outside of ROW
- Determine which options to advance
- Project development schedule
- Begin preliminary design and environmental assessment
- Work with local entities to create partnerships for cost sharing/ sponsorships



Moving Forward

- Joint efforts between CTRMA, Capital Metro, and CAMPO
- 4-Phase Work Plan
 - 1. Develop Agreement to advance PnR Initiative
 - Efforts underway April target date
 - 2. Develop Regional Park and Ride Plan
 - In <u>partnership with CAMPO</u> and Capital Metro
 - Obtain CAMPO support and concurrence
 - 3. Advance Park and Ride site location studies
 - Options within and outside existing ROW
 - In support of CAMPO regional efforts
 - 4. <u>Develop Funding Strategies</u>
 - Optimize opportunities from all regional mobility partners




Coordination Activities

- Regular meetings of CTRMA, Capital Metro & CAMPO leadership
- CTRMA Board briefing today
- Capital Metro Board briefing on February 22
- Follow-up briefings to Boards at key decision points, including CAMPO Policy Board



Significance of Park and Ride Initiative


- Six (6) existing Park and Ride facilities will use CTRMA Project Corridors
- Express Bus service at these six facilities generated 460,000 Annual Riders in 2015





Significance of Park and Ride Initiative


 Six (6) additional Park and Ride facilities under consideration





Significance of Park and Ride Initiative


 Seven (7) other Park and Ride facilities being planned outside of Capital Metro service area





Significance of Park and Ride Initiative

 A total of <u>19 Park and</u> <u>Ride facilities</u> using <u>CTRMA projects</u>





Agenda Item #13

Tim Reilly, Director of Operations

March 30, 2016



Real-time Ridesharing Technology Pilot



- Pilot approved by the Board in April 2013.
- Project sponsored by the Federal Highway
 Administration (FHWA) and performed in cooperation
 with the Mobility Authority, Carma Technology
 Corporation (Carma), Capital Area Metropolitan
 Planning Organization (CAMPO) and the Texas
 Department of Transportation (TxDOT).
- Purpose of the project was to evaluate the use of realtime ridesharing to verify occupancy for toll road discounts in Central Texas.
- Pilot successfully tested the Carma system, recruited toll road users and analyzed for potential impacts.

Value Pricing Pilot Program (VPPP)



Estimated Cost Allocation Per Task

TASK NO.	DESCRIPTION	ESTIMATED COST
1	Pre-Implementation Plan	\$166,850
2	Recruitment	\$248,613
3	Implementation	\$442,545
4	Analyzing and Reporting	\$101,000
	TOTAL	\$959,008

Funding

SOURCE	AMOUNT
Federal Grant	\$764,008
Vendor (Avego)	\$105,000
Mobility Authority	\$45,000
TxDOT	\$45,000
TOTAL	\$959,008

CENTRAL TEXAS
Regional Mobility Authority



Real-Time Ridesharing Technology to Support Differential Tolling by Occupancy

Time and Resources



Central Texas Regional
Mobility Authority
Board of Directors
March 30, 2016



Objectives

Time and Resources

- Can a carpooling app be used to verify vehicle occupancy?
- Do toll road discounts encourage carpooling?
- What are some implications for long-term operation?



Project Partners

Time and Resources





Time and Resources


What is Real-Time Ridesharing (RtR)?

Software, usually on smartphone platforms, that **match** carpool partners at the time the trip is needed, or scheduled for a specific time and place.

Ridesharing is distinguished from 'ride-hailing' apps such as Uber & Lyft by limiting rider fees to the driver's cost of the trip.







Mobile Application

- App coordinates rides and payment
- Drivers could offer either free or reimbursed rides
 - Option of charging \$0.20 per mile, up to IRS limit
- Step-by-step process
 - Users select "plan" or "start" trip
 - Users select "driver" or "rider" mode
 - Users confirmed end of trip
 - E-mail sent confirming payment or deposit

Image: Carma




Central Texas RtR Pilot

- Partnerships between Mobility Authority (toll operator) and Carma (rideshare and app vendor)
- Drivers and riders downloaded mobile app
- Driver + 1 passenger received 50% toll rebate;
 Driver + 2 passengers received 100% toll rebate
- Rebates funded through FHWA pilot program, initially shown directly on driver's monthly TxTag statements, later credited through Carma app



Project Timeline





Results

- Recruitment
- Trip & Toll Analysis
- Operational Analysis



Recruitment Activities


- Neighborhood
- Major Event/Campaign
- Paid Media
- Earned Media
- Driver
- Employer
- Digital







Recruitment Results






Trip & Toll Analysis-



Feb. 2014-June 2015

Monthly # of Rebated Carma Trips and Unique Drivers on 183A Toll & 290 Toll





Time and Resources Time and Resources

Trip & Toll Analysis-



Feb. 2014-June 2015

Monthly # of Rebated Carma Trips and Unique Drivers on 183A Toll & 290 Toll

Total trips: 1,881

• Drivers: 95

Total toll credit: \$1,963.55

Average toll rebate: \$1.04 per trip

• 3+ Occupancy: 36%




Trip & Toll Analysis-



Jan.-June, 2015

TxDOT Loop 1, SH 45 N, SH 130, and SH 45 SE

Monthly # of Rebated Carma Trips and Unique Drivers on TxDOT Toll Roads





Time and Resources Time and Resources

Trip & Toll Analysis-



Jan.-June, 2015


TxDOT Loop 1, SH 45 N, SH 130, and SH 45 SE

Monthly # of Rebated Carma Trips and Unique Drivers on TxDOT Toll Roads

- Total trips: 2,253
- Drivers: 121
- Total toll credit: \$4,469.39
- Average toll rebate: \$2.73 per trip
- 3+ Occupancy: 45%



Operational Results





Operational Results

- No fraudulent trips detected.
- Researchers tested single occupancy trips with 2 devices, & fake account.
- Verification features could be added, if needed.




Operational Results (cont'd.)

- RtR can verify # of occupants
 - Tolling by occupancy is feasible
- Impact of pilot program to vehicle miles traveled, revenue, etc. was low
 - Fuel prices decreased \$1.40 during pilot
- Partnerships and expansions could facilitate carpooling



Questions?



Real-Time Ridesharing Technology to Support Differential Tolling by Occupancy Greg Griffin, AICP g-griffin@tti.tamu.edu Nick Wood, P.E. n-wood@tti.tamu.edu









CENTRAL TEXAS Regional Mobility Authority